

# ASHLAR

CHILTON COUNTRY  
SQUIRE



## GEOLOGY

dolomitic limestone- quarried in USA

## COLOR RANGE

gray to charcoal, with occasional mauves

## CONSISTENCY PER PALLET

consistent

## PALLET AMOUNTS

FULL VENEER (sold/ton) 4,000lbs each

THIN VENEER (sold/each) QB or BX

QUANTITY BOX - QB

1 - 100 sq ft of flats

1 - 50 lin ft of corners

SMALL BOX - BX

24 - 8 sq ft flat boxes, 192 total ft

20 - 8 lin ft corner boxes, 160 total feet

## ASTM TESTING DATA

CHILTON C97

water absorption—0.08%

CHILTON C97

density—177.4 pcf

CHILTON C99

modulus of rupture—1,220 psi

CHILTON C170

compressive strength w/rift—50,560 psi

compressive strength across rift—38,090 psi

CHILTON C880

flexural strength—3,070 psi



## PART NUMBERS

FULL VENEER:

1BSTBUE01003TN

THIN VENEER:

QB flat: 1BTVBUE01002QB

BX flat: 1BTVBUE01002BX

QB corner: 1BTVBUE01502QB

BX corner: 1BTVBUE01502BX

## ARCHITECT/DESIGNER INFO

INSTALLATION SHOWN

Mortar: Laticrete - Std. Gray

Joint Type: Raked

BIM DETAILS - SCAN

Revit, Hatch Patterns,

Seamless Textures,

3-Part Specs, DWGS,

SDS, Warranty



## FULL VENEER

### COMMON COVERAGE

Standard Joint  
40 ft<sup>2</sup>/ton

Drystack  
30 ft<sup>2</sup>/ton

Overgrout  
50 ft<sup>2</sup>/ton

### DIMENSIONS

l: 6" to 42" (14")

h: 1/2" to 8"

w: 3" to 5" (4")

Stone Ends shall be no less than 2-1/2"

width

### TYPICAL PIECE

Ends square, natural cleft top and bottom. Back, face and sides split. Rectangular in appearance.

## THIN VENEER

### COMMON COVERAGE PER BOX

Standard Joint  
8 & 100 ft<sup>2</sup>

Drystack Overgrout  
6 & 75 ft<sup>2</sup> 10 & 110 ft<sup>2</sup>

### DIMENSIONS

l: 6" to 24" (12")

h: 1/2" to 8"

w: 3/4" to 1-1/4" (1")

corner return 3" to 5"

### TYPICAL PIECE

Ends square, natural cleft top and bottom. Face and sides split, back is sawn. Rectangular in appearance.



www.buechelstone.com