



ASHLAR
CHILTON
 KENSINGTON BLEND

GEOLOGY

dolomitic limestone- quarried in USA

COLOR RANGE

70% Chilton Country Squire
 30% Full Color Castle Rock

CONSISTENCY PER PALLET

somewhat consistent

PALLET AMOUNTS

FULL VENEER (sold/ton) 4,000lbs each

THIN VENEER (sold/each) QB or BX

QUANTITY BOX - QB

1 - 100 sq ft of flats

1 - 50 lin ft of corners

SMALL BOX - BX

24 - 8 sq ft flat boxes, 192 total ft

20 - 8 lin ft corner boxes, 160 total feet

ASTM TESTING DATA

CHILTON C97

water absorption—0.08%

CHILTON C97

density—177.4 pcf

CHILTON C99

modulus of rupture—1,220 psi

CHILTON C170

compressive strength w/rift—50,560 psi

compressive strength across rift—38,090 psi

CHILTON C880

flexural strength—3,070 psi

PART NUMBERS

FULL VENEER:

1BSTBUE01013TN

THIN VENEER:

QB flat: 1BTVBUE01013QB

BX flat: 1BTVBUE01013BX

QB corner: 1BTVBUE01513QB

BX corner: 1BTVBUE01513BX

ARCHITECT/DESIGNER INFO

INSTALLATION SHOWN

Mortar: Western Type S

Joint Type: Raked

BIM DETAILS - SCAN

Revit, Hatch Patterns,

Seamless Textures,

3-Part Specs, DWGS,

SDS, Warranty



FULL VENEER

COMMON COVERAGE

Standard Joint 40 ft ² /ton	Drystack 30 ft ² /ton	Overgrout 50 ft ² /ton
---	-------------------------------------	--------------------------------------

DIMENSIONS

l: 6" to 42" (14")

h: 1/2" to 12"

w: 3" to 5" (4")

Stone ends shall be no less than 2-1/2" width

TYPICAL PIECE

Ends somewhat square, natural cleft top and bottom. Back, face and sides split or bedface. Stone is mostly rectangular.

THIN VENEER

COMMON COVERAGE

Standard Joint 8 & 100 ft ²	Drystack 6 & 75 ft ²	Overgrout 10 & 110 ft ²
---	------------------------------------	---------------------------------------

DIMENSIONS

l: 6" to 24" (12")

h: 1/2" to 12"

w: 3/4" to 1-1/4" (1")

corner return 3" to 5"

TYPICAL PIECE

Ends somewhat square; natural cleft top & bottom; face & sides split or bedface; sawn back. Stone is mostly rectangular.



www.buechelstone.com