



**ASHLAR**  
**FOND DULAC**  
**CAMBRIAN BLEND**

**GEOLOGY**

dolomitic limestone- quarried in USA

**COLOR RANGE**

75% Fond du Lac Country Squire  
 25% Fond du Lac Rustic

**CONSISTENCY PER PALLET**

somewhat consistent

**PALLET AMOUNTS**

FULL VENEER (sold/ton) 4,000lbs each

THIN VENEER (sold/each) QB or BX

QUANTITY BOX - QB

1 - 100 sq ft of flats

1 - 50 lin ft of corners

SMALL BOX - BX

24 - 8 sq ft flat boxes, 192 total ft

20 - 8 lin ft corner boxes, 160 total feet

**ASTM TESTING DATA**

FOND DU LAC C97

water absorption—0.11%

FOND DU LAC C97

density—176.5 pcf

FOND DU LAC C99

modulus of rupture—2,480 psi

FOND DU LAC C170

compressive strength w/rift—31,810 psi

compressive strength across rift—26,550 psi

FOND DU LAC C880

flexural strength—1,740 psi

**PART NUMBERS**

FULL VENEER:

1BSTBUE02014TN

THIN VENEER:

QB flat: 1BTVBUE02015QB

BX flat: 1BTVBUE02015BX

QB corner: 1BTVBUE02015QB

BX corner: 1BTVBUE02015BX

**ARCHITECT/DESIGNER INFO**

INSTALLATION SHOWN

Mortar: Laticrete - Std. Gray

Joint Type: Raked

BIM DETAILS - SCAN

Revit, Hatch Patterns,

Seamless Textures,

3-Part Specs, DWGS,

SDS, Warranty



**FULL VENEER**

**COMMON COVERAGE**

Standard Joint 40 ft <sup>2</sup> /ton	Drystack 30 ft <sup>2</sup> /ton	Overgrout 50 ft <sup>2</sup> /ton
---	-------------------------------------	--------------------------------------

**DIMENSIONS**

l: 6" to 42" (14")

h: 1/2" to 8"

w: 3" to 5" (4")

Stone ends shall be no less than 2-1/2" width

**TYPICAL PIECE**

Ends somewhat square, natural cleft top and bottom. Back and sides split; face split or weatheredge and seamface. Stone is mostly rectangular.

**THIN VENEER**

**COMMON COVERAGE**

Standard Joint 8 & 100 ft <sup>2</sup>	Drystack 6 & 75 ft <sup>2</sup>	Overgrout 10 & 110 ft <sup>2</sup>
---	------------------------------------	---------------------------------------

**DIMENSIONS**

l: 6" to 24" (12")

h: 1/2" to 8"

w: 3/4" to 1-1/4" (1")

corner return 3" to 5"

**TYPICAL PIECE**

Ends somewhat square; natural cleft top & bottom; sides and face split or weatheredge and seamface; sawn back. Stone is mostly rectangular.



www.buechelstone.com