ASHLAR
FOND DU LAC CAMBRIAN BLEND

GEOLOGY
dolomitic limestone- quarried in USA

COLOR RANGE
75% Fond du Lac Country Squire
25% Fond du Lac Rustic

CONSISTENCY PER PALLET
somewhat consistent

PALLET AMOUNTS
FULL VENEER (sold/ton) 4,000lbs each
THIN VENEER (sold/each) QB or BX
QUANTITY BOX - QB
1 - 100 sq ft of flats
1 - 50 lin ft of corners
SMALL BOX - BX
24 - 8 sq ft flat boxes, 192 total ft
20 - 8 lin ft corner boxes, 160 total feet

ASTM TESTING DATA
FOND DU LAC C97
water absorption—0.11%
FOND DU LAC C97
density—176.5 pcf
FOND DU LAC C99
modulus of rupture—2,480 psi
FOND DU LAC C170
compressive strength w/rift—31,810 psi
compressive strength across rift—26,550 psi
FOND DU LAC C880
flexural strength—1,740 psi

FULL VENEER
COMMON COVERAGE

Standard Joint	Drystack	Overgrout
40 ft^2/ ton	30 ft^2/ton	50 ft^2/ton

DIMENSIONS
l: 6” to 42” (14”)
h: 1/2” to 8”
w: 3” to 5” (4”)
Stone ends shall be no less than 2-1/2” width

TYPICAL PIECE
Ends somewhat square, natural cleft top and bottom. Back and sides split; face split or weatheredge and seamface. Stone is mostly rectangular.

THIN VENEER
COMMON COVERAGE

Standard Joint	Drystack	Overgrout
8 & 100 ft^2	6 & 75 ft^2	10 & 110 ft^2

DIMENSIONS
l: 6” to 24” (12”)
h: 1/2” to 8”
w: 3/4” to 1-1/4” (1”)
corner return 3” to 5”

TYPICAL PIECE
Ends somewhat square; natural cleft top & bottom; sides and face split or weatheredge and seamface; sawn back. Stone is mostly rectangular.

PART NUMBERS
FULL VENEER:
1-FV-1060-TN
THIN VENEER:
QB flat: 1-TF-1060-QB
BX flat: 1-TF-1060-BX
QB corner: 1-TC-1060-QB
BX corner: 1-TC-1060-BX

ARCHITECT/DESIGNER INFO
INSTALLATION SHOWN
Mortar: Laticrete - Std. Gray
Joint Type: Raked

BIM DETAILS - SCAN
Revit, Hatch Patterns, Seamless Textures, 3-Part Specs, DWGS, SDS, Warranty