

ASHLAR  
FOND DU LAC  
COUNTRYSQUIRE



**GEOLOGY**

dolomitic limestone- quarried in USA

**COLOR RANGE**

light gray to white

**CONSISTENCY PER PALLET**

consistent

**PALLET AMOUNTS**

FULL VENEER (sold/ton) 4,000lbs each

THIN VENEER (sold/each) QB or BX

QUANTITY BOX - QB

1 - 100 sq ft of flats

1 - 50 lin ft of corners

SMALL BOX - BX

24 - 8 sq ft flat boxes, 192 total ft

20 - 8 lin ft corner boxes, 160 total feet

**ASTM TESTING DATA**

FOND DU LAC C97

water absorption—0.11%

FOND DU LAC C97

density—176.5 pcf

FOND DU LAC C99

modulus of rupture—2,480 psi

FOND DU LAC C170

compressive strength w/rift—31,810 psi

compressive strength across rift—26,550 psi

FOND DU LAC C880

flexural strength—1,740 psi



**PART NUMBERS**

FULL VENEER:

1BSTBUE02002TN

THIN VENEER:

QB flat: 1BTVBUE02002QB

BX flat: 1BTVBUE02002BX

QB corner: 1BTVBUE02502QB

BX corner: 1BTVBUE02502BX

**ARCHITECT/DESIGNER INFO**

INSTALLATION SHOWN

Mortar: Western Type S

Joint Type: Raked

BIM DETAILS - SCAN

Revit, Hatch Patterns,

Seamless Textures,

3-Part Specs, DWGS,

SDS, Warranty



**FULL VENEER**

**COMMON COVERAGE**

Standard Joint  
40 ft<sup>2</sup>/ton

Drystack  
30 ft<sup>2</sup>/ton

Overgrout  
50 ft<sup>2</sup>/ton

**DIMENSIONS**

l: 6" to 42" (14")

h: 1/2" to 8"

w: 3" to 5" (4")

Stone Ends shall be no less than 2-1/2"

width

**TYPICAL PIECE**

Ends somewhat square, natural cleft top and bottom. Back, face and sides split. Rectangular in appearance.

**THIN VENEER**

**COMMON COVERAGE PER BOX**

Standard Joint  
8 & 100 ft<sup>2</sup>

Drystack Overgrout  
6 & 75 ft<sup>2</sup> 10 & 110 ft<sup>2</sup>

**DIMENSIONS**

l: 6" to 24" (12")

h: 1/2" to 8"

w: 3/4" to 1-1/4" (1")

corner return 3" to 5"

**TYPICAL PIECE**

Ends square, natural cleft top and bottom. Face and sides split; back is sawn. Rectangular in appearance.



www.buechelstone.com