



ASHLAR  
SILVERDALE  
COUNTRYSQUIRE

**GEOLOGY**

limestone- quarried in USA

**COLOR RANGE**

buffs, tans and creams, with occasional grays

**CONSISTENCY PER PALLET**

consistent

**PALLET AMOUNTS**

FULL VENEER (sold/ton) 4,000lbs each

THIN VENEER (sold/each) QB or BX

QUANTITY BOX - QB

1 - 100 sq ft of flats

1 - 50 lin ft of corners

SMALL BOX - BX

24 - 8 sq ft flat boxes, 192 total ft

20 - 8 lin ft corner boxes, 160 total feet

**ASTM TESTING DATA**

SILVERDALE C97

water absorption—7.27%

SILVERDALE C97

density—134.1 pcf

SILVERDALE C97

specific gravity—2.149

SILVERDALE C99

modulus of rupture—1,174 psi

SILVERDALE C170

compressive strength—6,631 psi

SILVERDALE C241

abrasion resistance—5.38

**FULL VENEER**

**COMMON COVERAGE**

Standard Joint  
40 ft<sup>2</sup>/ton

Drystack Overgrout  
35 ft<sup>2</sup>/ton 45 ft<sup>2</sup>/ton

**DIMENSIONS**

l: 6" to 42" (14")

h: 1/2" to 10"

w: 3" to 5" (4")

Stone ends shall be no less than 2-1/2" width

**TYPICAL PIECE**

Ends square; natural cleft top and bottom; back, face and sides split; stone is mostly rectangular.

**THIN VENEER**

**COMMON COVERAGE**

Standard Joint  
8 & 100 ft<sup>2</sup>

Drystack Overgrout  
6 & 75 ft<sup>2</sup> 10 & 110 ft<sup>2</sup>

**DIMENSIONS**

l: 6" to 24" (12")

h: 1/2" to 8"

w: 3/4" to 1-1/4" (1")

corner return 3" to 5"

**TYPICAL PIECE**

Ends square; natural cleft top and bottom; face and sides split; sawn back; stone is mostly rectangular.

**PART NUMBERS**

FULL VENEER:

1BSTKNS03007TN

THIN VENEER:

QB flat: 1BTVKNS03006QB

BX flat: 1BTVKNS03006BX

QB corner: 1BTVKNS03506QB

BX corner: 1BTVKNS03506BX

**ARCHITECT/DESIGNER INFO**

**INSTALLATION SHOWN**

Mortar: Western Type S

Joint Type: Raked

**BIM DETAILS - SCAN**

Revit, Hatch Patterns,  
Seamless Textures,  
3-Part Specs, DWGS,  
SDS, Warranty



www.buechelstone.com