

# ASHLAR

TENNESSEE  
SPLITFACE



## GEOLOGY

quartzitic sandstone - quarried in USA

## COLOR RANGE

tan, orange, pink, and cream with swirls

## CONSISTENCY PER PALLET

somewhat consistent

## PALLET AMOUNTS

FULL VENEER (sold/ton) 4,000lbs each

THIN VENEER (sold/each) QB or BX

QUANTITY BOX - QB

1 - 100 sq ft of flats

1 - 50 lin ft of corners

SMALL BOX - BX

24 - 8 sq ft flat boxes, 192 total ft

20 - 8 lin ft corner boxes, 160 total feet

## ASTM TESTING DATA

TENNESSEE C97

water absorption—1.92%

TENNESSEE C97

density—156.0 pcf

TENNESSEE C97


specific gravity—2.495

TENNESSEE C170

compressive strength—16,550 psi

TENNESSEE C880

flexural strength—1,580 psi



## PART NUMBER

FULL VENEER:

1BSTTEN01001TN

THIN VENEER:

QB flat: 1BTVTEN01001QB

BX flat: 1BTVTEN01001BX

QB corner: 1BTVTEN01501QB

BX corner: 1BTVTEN01501BX

## ARCHITECT/DESIGNER INFO

INSTALLATION SHOWN

Mortar: Western W-11

Joint Type: Raked

BIM DETAILS - SCAN

Revit, Hatch Patterns,

Seamless Textures,

3-Part Specs, DWGS,

SDS, Warranty



## FULL VENEER

### COMMON COVERAGE

Standard Joint  
40 ft<sup>2</sup>/ton

Drystack  
30 ft<sup>2</sup>/ton

Overgrout  
50 ft<sup>2</sup>/ton

### DIMENSIONS

l: 6" to 42"

h: 1/2" to 8"

w: 3" to 5"

Stone Ends shall be no less than 2-1/2" width

### TYPICAL PIECE

Ends square; natural cleft top and bottom; back, face and sides split; stone is mostly rectangular.

## THIN VENEER

### COMMON COVERAGE PER BOX

Standard Joint  
8 & 100 ft<sup>2</sup>

Drystack  
6 & 75 ft<sup>2</sup>

Overgrout  
10 & 110 ft<sup>2</sup>

### DIMENSIONS

l: 6" to 24"

h: 1/2" to 8"

w: 3/4" to 1-1/4" (1")

corner return 3" to 5"

### TYPICAL PIECE

Ends square; natural cleft top and bottom; face and sides split; back is sawn; stone is mostly rectangular.