



CUT STONE
CHILTON
 NATURAL CLEFT
 CUT STONE
Buff Gray to left

GEOLOGY

dolomitic limestone - quarried in USA

COLOR RANGE

brown, buff, orange, yellow, red, and rust

CONSISTENCY BLOCK/SLAB

somewhat consistent depending application

WEIGHT CALCULATED IN INCHES

$l \times w \times h / 1728$ (inches cubed) $\times 177 =$
 approx 177 pounds per cubic foot

ASTM TESTING DATA

CHILTON C97

water absorption—0.08%

density—177.4 pcf

CHILTON C99

modulus of rupture—1,220 psi

CHILTON C170

compressive strength

w/rift—50,560 psi

across rift—38,090 psi

CHILTON C880

flexural strength—3,070 psi

COLOR EXAMPLE



PANEL INSTALLATION SHOWN

Mortar: Laticrete MVIS

Joint Type: Drystack

Size - h: 4" & 8" & random length - natural cleft
 shown in Buff Gray color range



www.buechelstone.com

ARCHITECT/DESIGNER INFO

BIM DETAILS - SCAN
Revit, Hatch Patterns,
Seamless Textures,
3-Part Specs, DWGS,
SDS, Warranty



CUT STONE
CHILTON
NATURAL CLEFT
CUTSTONE

COLOR EXAMPLE



COLOR EXAMPLE



COLOR EXAMPLE



COLOR EXAMPLE



COLOR EXAMPLE



COLOR EXAMPLE

