

# DIMENSIONAL

**CHILTON**  
**TAILORED BLEND**



## GEOLOGY

dolomitic limestone - quarried in USA

## COLOR RANGE

purple, lavender, mauve, gray,  
buff, blue, and brown

## CONSISTENCY PER PALLET

somewhat consistent

## PALLET AMOUNTS

FULL VENEER (sold/ton) 4,000lbs each

THIN VENEER (sold/each) QB or BX

QUANTITY BOX - QB

1 - 100 sq ft of flats

1 - 50 lin ft of corners

SMALL BOX - BX

24 - 8 sq ft flat boxes, 192 total ft

20 - 8 lin ft corner boxes, 160 total feet

## ASTM TESTING DATA

CHILTON C97

water absorption—0.08%

CHILTON C97

density—177.4 pcf

CHILTON C99

modulus of rupture—1,220 psi


CHILTON C170

compressive strength w/rift—50,560 psi

compressive strength across rift—38,090 psi

CHILTON C880

flexural strength—3,070 psi



## PART NUMBERS

FULL VENEER:

1BSTBUE01010TN

THIN VENEER:

QB flat: 1BTVBUE01005QB

BX flat: 1BTVBUE01005BX

QB corner: 1BTVBUE01505QB

BX corner: 1BTVBUE01505BX

## ARCHITECT/DESIGNER INFO

INSTALLATION SHOWN

Mortar: Laticrete - Std. Gray

Joint Type: Raked

BIM DETAILS - SCAN

Revit, Hatch Patterns,

Seamless Textures,

3-Part Specs, DWGS,

SDS, Warranty



## FULL VENEER

### COMMON COVERAGE

Standard Joint  
40 ft<sup>2</sup>/ton

Drystack  
30 ft<sup>2</sup>/ton

Overgrout  
50 ft<sup>2</sup>/ton

### DIMENSIONS

l: 6" to 42" (24")

h: 2-1/4"; h: 5";

h: 7-3/4"; h: 10-1/2"

w: 3" to 5" (4")

note: ± 1/8" on sawn heights - additional

heights available

### TYPICAL BLEND

20 percent 2-1/4"; 40 percent 5";

30 percent 7-3/4"; 10 percent 10-1/2"

### TYPICAL PIECE

Ends square; sawn top and bottom;

sides are split; bedface face and back;

stone is rectangular in appearance with

length longer than height.

## THIN VENEER

### COMMON COVERAGE

Standard Joint  
8 & 100 square feet

Drystack  
6 & 75 ft<sup>2</sup>

Overgrout  
10 & 110 ft<sup>2</sup>

### DIMENSIONS

l: 6" to 24" (12")

h: 2-1/4"; h: 5";

h: 7-3/4"; h: 10-1/2"

w: 3/4" to 1-1/4" (1")

corner return 3" to 5"

note: ± 1/8" on sawn heights - additional

heights available

### TYPICAL BLEND

20 percent 2-1/4"; 40 percent 5";

30 percent 7-3/4"; 10 percent 10-1/2"

### TYPICAL PIECE

Ends square; sawn top and bottom;

sides are split; bedface face and

back; stone is rectangular in appearance

with length longer than height.