

DIMENSIONAL

FOND DU LAC
TAILORED BLEND
50 PERCENT
ROCK FACED



GEOLOGY

dolomitic limestone - quarried in USA

COLOR RANGE

gray, light gray, buff, and white

CONSISTENCY PER PALLET

somewhat consistent

PALLET AMOUNTS

FULL VENEER (sold/ton) 4,000lbs each

THIN VENEER (sold/each) QB or BX

QUANTITY BOX - QB

1 - 100 sq ft of flats

1 - 50 lin ft of corners

SMALL BOX - BX

24 - 8 sq ft flat boxes, 192 total ft

20 - 8 lin ft corner boxes, 160 total feet

ASTM TESTING DATA

FOND DU LAC C97

water absorption—0.11%

FOND DU LAC C97

density—176.5 pcf

FOND DU LAC C99

modulus of rupture—2,480 psi

FOND DU LAC C170

compressive strength w/rift—31,810 psi

compressive strength across rift—26,550 psi

FOND DU LAC C880

flexural strength—1,740 psi



PART NUMBERS

FULL VENEER:

1BSTBUE02010TN

THIN VENEER:

QB flat: 1BTVBUE02024QB

BX flat: 1BTVBUE02024BX

QB corner: 1BTVBUE02523QB

BX corner: 1BTVBUE02523BX

ARCHITECT/DESIGNER INFO

INSTALLATION SHOW

Mortar: Western W-11

Joint Type: Raked

BIM DETAILS - SCAN

Revit, Hatch Patterns,

Seamless Textures,

3-Part Specs, DWGS,

SDS, Warranty



FULL VENEER

COMMON COVERAGE

Standard Joint
40 ft²/ton

Drystack
30 ft²/ton

Overgrout
50 ft²/ton

DIMENSIONS

l: 6" to 42" (24")

h: 2-1/4"; h: 5";

h: 7-3/4"; h: 10-1/2"

w: 3" to 5" (4")

note: ± 1/8" on sawn heights - additional

heights available

TYPICAL BLEND

20 percent 2-1/4"; 40 percent 5";

30 percent 7-3/4"; 10 percent 10-1/2"

TYPICAL PIECE

Ends square; sawn top and bottom;

sides are split; splitface, bedface

back and face; stone is rectangular in

appearance with length longer than

height. Fifty percent hand trimmed with

a hammer and chisel on the entire face.

THIN VENEER

COMMON COVERAGE

Standard Joint
8 & 100 square feet

Drystack
6 & 75 ft²

Overgrout
10 & 110 ft²

DIMENSIONS

l: 6" to 24" (12")

h: 2-1/4"; h: 5";

h: 7-3/4"; h: 10-1/2"

w: 3/4" to 1-1/4" (1")

corner return 3" to 5"

note: ± 1/8" on sawn heights - additional

heights available

TYPICAL BLEND

20 percent 2-1/4"; 40 percent 5";

30 percent 7-3/4"; 10 percent 10-1/2"

TYPICAL PIECE

Ends square; sawn top and bottom;

sides are split; splitface and bedface

face; sawn back; stone is rectangular

having linear sawn appearance with

length longer than eight. Fifty percent

hand trimmed with a hammer and chisel

on the entire face.



www.buechelstone.com