

DIMENSIONAL

WHITE MARIGOLD TAILORED BLEND



GEOLOGY

limestone - quarried in USA

COLOR RANGE

buffs, tans and white, with occasional veining

CONSISTENCY PER PALLET

consistent

PALLET AMOUNTS

FULL VENEER (sold/ton) 4,000lbs each

THIN VENEER (sold/each) QB or BX

QUANTITY BOX - QB

1 - 100 sq ft of flats

1 - 50 lin ft of corners

SMALL BOX - BX

24 - 8 sq ft flat boxes, 192 total ft

20 - 8 lin ft corner boxes, 160 total feet

ASTM TESTING DATA

WHITE MARIGOLD C97

water absorption—9.43%

specific gravity — 2.042 to 2.066

density—125.1 lbs/ft³

WHITE MARIGOLD C170

dry perpendicular—5,490 psi

wet perpendicular—3,680 psi

dry parallel—4,530 psi

wet parallel—3,420 psi

WHITE MARIGOLD C880

flexural strength -wet —500 psi

flexural strength -dry —700 psi

WHITE MARIGOLD C1353

abrasion—3.5

WHITE MARIGOLD ANSI A326.3

friction—0.83



PART NUMBERS

FULL VENEER:

1BSTKNS01004TN

THIN VENEER:

QB flat: 1BTVKNS01004QB

BX flat: 1BTVKNS01004BX

QB corner: 1BTVKNS01504QB

BX corner: 1BTVKNS01504BX

ARCHITECT/DESIGNER INFO

INSTALLATION SHOWN

Mortar: Quikrete Type - S

Joint Type: Raked

BIM DETAILS - SCAN

Revit, Hatch Patterns,
Seamless Textures,
3-Part Specs, DWGS,
SDS, Warranty



FULL VENEER

COMMON COVERAGE

Standard Joint
40 ft²/ton

Drystack
30 ft²/ton

Overgrout
50 ft²/ton

DIMENSIONS

l: 6" to 42" (24")

h: 2-1/4"; h: 5";

h: 7-3/4"; h: 10-1/2"

w: 3" to 5" (4")

note: ± 1/8" on sawn heights - additional

heights available

TYPICAL BLEND

20 percent 2-1/4"; 40 percent 5";

30 percent 7-3/4"; 10 percent 10-1/2"

TYPICAL PIECE

Ends square; sawn top and bottom;
sides are split; splitface face and back
with occasional bedface; stone is
rectangular in appearance with length
longer than height.

THIN VENEER

COMMON COVERAGE

Standard Joint
8 & 100 square feet

Drystack
6 & 75 ft²

Overgrout
10 & 110 ft²

DIMENSIONS

l: 6" to 24" (12")

h: 2-1/4"; h: 5";

h: 7-3/4"; h: 10-1/2"

w: 3/4" to 1-1/4" (1")

corner return 3" to 5"

note: ± 1/8" on sawn heights - additional

heights available

TYPICAL BLEND

20 percent 2-1/4"; 40 percent 5";

30 percent 7-3/4"; 10 percent 10-1/2"

TYPICAL PIECE

Ends square; sawn top and bottom;
sides are split; splitface face and back
with occasional bedface and sawn back;
stone is rectangular in appearance with
length longer than height.