

# FIELDLEDGE

CHILTON HERITAGE  
BLEND



## GEOLOGY

dolomitic limestone - quarried in USA

## COLOR RANGE

gray to charcoal with occasional mauves, brown, buff, orange, yellow, red, rust, blue, lavender, purple, and charcoal

## CONSISTENCY PER PALLET

inconsistent

## PALLET AMOUNTS

FULL VENEER (sold/ton) 4,000lbs each

THIN VENEER (sold/each) QB or BX

QUANTITY BOX - QB

1 - 100 sq ft of flats

1 - 50 lin ft of corners

SMALL BOX - BX

24 - 8 sq ft flat boxes, 192 total ft

20 - 8 lin ft corner boxes, 160 total feet

## ASTM TESTING DATA

CHILTON C97

water absorption—0.08%

CHILTON C97

density—177.4 pcf

CHILTON C99

modulus of rupture—1,220 psi


CHILTON C170

compressive strength w/rift—50,560 psi

compressive strength across rift—38,090 psi

CHILTON C880

flexural strength—3,070 psi



## PART NUMBERS

FULL VENEER:

1BSTBUE01017TN

THIN VENEER:

QB flat: 1BTVBUE01016QB

BX flat: 1BTVBUE01016BX

QB corner: 1BTVBUE01516QB

BX corner: 1BTVBUE01516BX

## ARCHITECT/DESIGNER INFO

INSTALLATION SHOWN

Mortar: Laticrete MVIS

Joint Type: Drystack

BIM DETAILS - SCAN

Revit, Hatch Patterns,

Seamless Textures,

3-Part Specs, DWGS,

SDS, Warranty



## FULL VENEER

### COMMON COVERAGE

Standard Joint  
40 ft<sup>2</sup>/ton

Drystack  
30 ft<sup>2</sup>/ton

Overgrout  
50 ft<sup>2</sup>/ton

### DIMENSIONS

l: 6" to 24"

h: 2" to 12"

w: 3" to 5" (4")

note: lengths and heights can vary with rough irregular shapes mixed in

### TYPICAL PIECE

Ends random; completely random mix of Chilton material; rough-cut stone is a mixture of splitface, natural splitface, and bedface; stone is mixture of square, rectangular, triangular, trapezoidal, and parallelogram shapes.

## THIN VENEER

### COMMON COVERAGE

Standard Joint  
8 & 100 square feet

Drystack  
6 & 75 ft<sup>2</sup>

Overgrout  
10 & 110 ft<sup>2</sup>

### DIMENSIONS

l: 6" to 24"

h: 2" to 12"

w: 3/4" to 1-1/4" (1")

corner return 3" to 5"

note: lengths and heights can vary with rough irregular shapes mixed in

### TYPICAL PIECE

Ends random; completely random mix of Chilton material; rough-cut stone is a mixture of splitface, natural splitface, and bedface; stone is mixture of square, rectangular, triangular, trapezoidal, and parallelogram shapes; back of stone is sawn.