FIELDLEDGE

JUTE CLOTH
SIENA

GEOLOGY
limestone - quarried in USA

COLOR RANGE
light gray to buff with occasional blue veins and browns

CONSISTENCY PER PALLET
somewhat consistent

PALLET AMOUNTS
FULL VENEER (sold/ton) 4,000lbs each
THIN VENEER (sold/each) QB or BX
QUANTITY BOX - QB
1 - 100 sq ft of flats
1 - 50 lin ft of corners
SMALL BOX - BX
24 - 8 sq ft flat boxes, 192 total ft
20 - 8 lin ft corner boxes, 160 total feet

ASTM TESTING DATA
HIGHLAND SCOTCH C97
water absorption—1.4%
HIGHLAND SCOTCH C97
specific gravity—2.54
HIGHLAND SCOTCH C97
density—158.4 pcf
HIGHLAND SCOTCH C99
modulus of rupture perpendicular dry—2,460 psi
modulus of rupture perpendicular wet—2,050 psi
modulus of rupture parallel wet—1,308 psi
HIGHLAND SCOTCH C170
compressive strength parallel wet—14,180 psi
compressive strength perpendicular wet—12,920 psi

PART NUMBERS
FULL VENEER:
1-FV-1100-TN
THIN VENEER:
QB flat: 1-TF-1100-QB
BX flat: 1-TF-1100-BX
QB corner: 1-TC-1100-QB
BX corner: 1-TC-1100-BX

ARCHITECT/DESIGNER INFO
INSTALLATION SHOWN
Mortar: Western W-100
Joint Type: Overgrout

BIM DETAILS - SCAN
Revit, Hatch Patterns, Seamless Textures, 3-Part Specs, DWGS, SDS, Warranty

FULL VENEER
COMMON COVERAGE

Standard Joint	Drystack	Overgrout
40 ft²/ ton	30 ft²/ton	50 ft²/ton

DIMENSIONS
l: 4” to 16”
h: 2” to 10”
w: 3” to 5” (4”)
note: product can vary in height from full height to half the total height in one piece

TYPICAL BLEND
10 percent installed bedface out; stone is snapped at least one face; sides may or may not be squared; overall appearance of stone will be linear when installed

TYPICAL PIECE
Ends random; natural cleft top and bottom; split or natural split face, split back; most sides more irregular and not square.

THIN VENEER
COMMON COVERAGE

Standard Joint	Drystack	Overgrout
8 & 100 square feet	6 & 75 ft²	10 & 110 ft²

DIMENSIONS
l: 4” to 16”
h: 2” to 10”
w: 3/4” to 1-1/4” (1”)
corner return 3” to 6”
note: product can vary in height from full height to half the total height in one piece

TYPICAL BLEND
10 percent installed bedface out; stone is snapped at least one face; sides may or may not be squared; overall appearance of stone will be linear when installed

TYPICAL PIECE
Ends random; natural cleft top and bottom; split or natural split face and sawn back; most sides more irregular and not square.

BUECHEL STONE
www.buechelstone.com