

# FIELDLEDGE

OILED NUBUCK  
SIENA



## GEOLOGY

limestone - quarried in USA

## COLOR RANGE

buff, brown, tans, gray, and black

## CONSISTENCY PER PALLET

somewhat consistent

## PALLET AMOUNTS

FULL VENEER (sold/ton) 4,000lbs each

THIN VENEER (sold/each) QB or BX

QUANTITY BOX - QB

1 - 100 sq ft of flats

1 - 50 lin ft of corners

SMALL BOX - BX

24 - 8 sq ft flat boxes, 192 total ft

20 - 8 lin ft corner boxes, 160 total feet

## ASTM TESTING DATA

OILED NUBUCK C97

water absorption—7.27%

OILED NUBUCK C97

density—134.1 pcf

OILED NUBUCK C97

specific gravity—2.149

OILED NUBUCK C99

modulus of rupture—1,174 psi

OILED NUBUCK C170

compressive strength—6,631 psi

OILED NUBUCK C241

abrasion resistance—5.38



## PART NUMBERS

FULL VENEER:

1BSTKNS01005TN

THIN VENEER:

QB flat: 1BTVKNS01005QB

BX flat: 1BTVKNS01005BX

QB corner: 1BTVKNS01505QB

BX corner: 1BTVKNS01505BX

## ARCHITECT/DESIGNER INFO

INSTALLATION SHOWN

Mortar: Western W-100

Joint Type: Overgrout

BIM DETAILS - SCAN

Revit, Hatch Patterns,  
Seamless Textures,  
3-Part Specs, DWGS,  
SDS, Warranty



## FULL VENEER

### COMMON COVERAGE

Standard Joint  
40 ft<sup>2</sup>/ton

Drystack  
30 ft<sup>2</sup>/ton

Overgrout  
50 ft<sup>2</sup>/ton

### DIMENSIONS

l: 4" to 16"

h: 2" to 10"

w: 3" to 5" (4")

note: product can vary in height from full height to half the total height in one piece

### TYPICAL BLEND

10 percent installed bedface out; stone is snapped at least one face; sides may or may not be squared; overall appearance of stone will be linear when installed

### TYPICAL PIECE

Ends random; natural cleft top and bottom; split or natural split face, split back; most sides more irregular and not square.

## THIN VENEER

### COMMON COVERAGE

Standard Joint  
8 & 100 square feet

Drystack  
6 & 75 ft<sup>2</sup>

Overgrout  
10 & 110 ft<sup>2</sup>

### DIMENSIONS

l: 4" to 16"

h: 2" to 10"

w: 3/4" to 1-1/4" (1")

corner return 3" to 6"

note: product can vary in height from full height to half the total height in one piece

### TYPICAL BLEND

10 percent installed bedface out; stone is snapped at least one face; sides may or may not be squared; overall appearance of stone will be linear when installed

### TYPICAL PIECE

Ends random; natural cleft top and bottom; split or natural split face and sawn back; most sides more irregular and not square.