

# LEDGESTONE

SILVER PATINA  
LEDGESTONE



## GEOLOGY

quartzitic sandstone - quarried in USA

## COLOR RANGE

light grays, grays, charcoals, whites,  
blues, tans, chocolate to browns

## CONSISTENCY PER PALLET

somewhat consistent

## PALLET AMOUNTS

FULL VENEER (sold/ton) 4,000lbs each

THIN VENEER (sold/each) QB or BX

QUANTITY BOX - QB

1 - 100 sq ft of flats

1 - 50 lin ft of corners

SMALL BOX - BX

24 - 8 sq ft flat boxes, 192 total ft

20 - 8 lin ft corner boxes, 160 total feet

## ASTM TESTING DATA

Silver Patina C97

water absorption - 0.24%

bulk Specific Gravity - 2.68

density - 167.2 pcf

Silver Patina C170 - perpendicular

compressive strength (wet) - 18,630 psi

compressive strength (dry) - 20,030 psi

Silver Patina C170 - parallel

compressive strength (wet) - 12,270 psi

compressive strength (dry) - 13,240 psi

Silver Patina C880 - perpendicular

flexural strength (wet) - 4,040 psi

flexural strength (dry) - 2,910 psi

Silver Patina C880 - parallel

flexural strength (wet) - 630 psi

flexural strength (dry) - 980 psi

## PART NUMBERS

FULL VENEER:

1BSTGRA03034TN

THIN VENEER:

QB flat: 1BTVGRA03034QB

BX flat: 1BTVGRA03034BX

QB corner: 1BTVGRA03534QB

BX corner: 1BTVGRA03534BX

## ARCHITECT/DESIGNER INFO

INSTALLATION SHOWN

Mortar: Laticrete MVIS

Joint Type: Drystack

BIM DETAILS - SCAN

Revit, Hatch Patterns,

Seamless Textures,

3-Part Specs, DWGS,

SDS, Warranty



## FULL VENEER

### COMMON COVERAGE

Standard Joint  
35 ft<sup>2</sup>/ton

Drystack  
25 ft<sup>2</sup>/ton

Overgrout  
45 ft<sup>2</sup>/ton

### DIMENSIONS

l: 4" to 16" (8")

h: 1/2" to 3"

w: 3" to 5" (4")

### TYPICAL BLEND

up to 30 percent may be sawn top and

bottom with a bedface face;

face of stone cannot have a sawn finish

### TYPICAL PIECE

Ends random; natural cleft top and

bottom; natural split or seamface face,

sides natural split or seamface;

back sawn or split; stone is linear.

## THIN VENEER

### COMMON COVERAGE

Standard Joint  
8 & 100 square feet

Drystack  
6 & 75 ft<sup>2</sup>

Overgrout  
10 & 110 ft<sup>2</sup>

### DIMENSIONS

l: 4" to 16" (8")

h: 1/2" to 3"

w: 3/4" to 1-1/4" (1")

corner return 3" to 6"

### TYPICAL BLEND

up to 30 percent may be sawn top and

bottom with a bedface face;

face of stone cannot have a

### TYPICAL PIECE

Ends random; natural cleft top and

bottom; weatheredge and seamface

face; sides, natural split or seamface;

back sawn; stone is linear.