

MOSAIC
WHISPERING PINES
FIELDSTONE



GEOLOGY

quartzitic sandstone - quarried in USA

COLOR RANGE

greens, blues, and browns

CONSISTENCY PER PALLET

somewhat consistent

PALLET AMOUNTS

FULL VENEER (sold/ton) 4,000lbs each

THIN VENEER (sold/each) QB or BX

QUANTITY BOX - QB

1 - 100 sq ft of flats

1 - 50 lin ft of corners

SMALL BOX - BX

24 - 8 sq ft flat boxes, 192 total ft

20 - 8 lin ft corner boxes, 160 total feet

ASTM TESTING DATA

WHISPERING PINES C97

water absorption—0.96%

WHISPERING PINES C97

specific gravity—2.65

WHISPERING PINES C99

modulus of rupture—4,550 psi

WHISPERING PINES C170

compressive strength—11,630 psi

WHISPERING PINES C880

flexural strength—2,120 psi wet—

12,920 psi | 11,220 psi

compressive strength perpendicular

dry—n/a | 15,300 psi



PART NUMBERS

FULL VENEER:

1BSTCAT01002TN

THIN VENEER:

QB flat: 1BTVCAT01002QB

BX flat: 1BTVCAT01002BX

QB corner: 1BTVCAT01502QB

BX corner: 1BTVCAT01502BX

ARCHITECT/DESIGNER INFO

INSTALLATION SHOWN

Mortar: Western Type - S

Joint Type: Raked

BIM DETAILS - SCAN

Revit, Hatch Patterns,

Seamless Textures,

3-Part Specs, DWGS,

SDS, Warranty



FULL VENEER

COMMON COVERAGE

Standard Joint
40 ft²/ton

Drystack
30 ft²/ton

Overgrout
50 ft²/ton

DIMENSIONS

l: 3" to 16" dia.

h: 3" to 16" dia.

w: 3" to 5" (4")

note: lengths and heights are irregular
shapes 3 inches to 16 inches in diameter

TYPICAL PIECE

Ends irregular; natural split sides;
bedface face and back; stone is random
shapes.

THIN VENEER

COMMON COVERAGE

Standard Joint
8 & 100 square feet

Drystack
6 & 75 ft²

Overgrout
10 & 110 ft²

DIMENSIONS

l: 3" to 16" dia.

h: 3" to 16" dia.

w: 3/4" to 1-1/4" (1")

corner return 3" to 6"

note: lengths and heights are irregular
shapes 3 inches to 12 inches in diameter

TYPICAL PIECE

Ends irregular; natural split sides;
bedface face and sawn back; stone is
random shapes.



www.buechelstone.com