



**TAILORED  
FIELDLEDGE**  
BARNWOOD BLUE  
TAILORED FIELDLEDGE

**GEOLOGY**

schist - quarried in USA

**COLOR RANGE**

grays, dark grays, charcoals, whites, blues, tans with occasional greens, buffs, and blacks

**CONSISTENCY PER PALLET**

somewhat consistent

**PALLET AMOUNTS**

FULL VENEER (sold/ton) 4,000lbs each

THIN VENEER (sold/each) QB or BX

QUANTITY BOX - QB

1 - 100 sq ft of flats

1 - 50 lin ft of corners

SMALL BOX - BX

24 - 8 sq ft flat boxes, 192 total ft

20 - 8 lin ft corner boxes, 160 total feet

**ASTM TESTING DATA**

**BARNWOOD BLUE C97**

water absorption—0.5%

specific gravity—2.75

density—171.8 pcf

**BARNWOOD BLUE C99**

modulus of rupture perpendicular

dry—3,490 psi

modulus of rupture perpendicular

wet—2,920 psi

**BARNWOOD BLUE C170**

compressive strength parallel dry—12,260 psi

compressive strength parallel wet—9,770 psi

compressive strength perpendicular

dry—15,300 psi

compressive strength perpendicular

wet—11,220 psi dry—n/a | 15,300 psi

**THIN VENEER**

**COMMON COVERAGE**

Figured for Drystacked Joint Only  
8 & 100 square feet

**DIMENSIONS**

l: 3" to 24" (8")

h: 2"; h: 4"; h: 6"

w: 3/4" to 1-1/4" (1")

corner return N/A - Butt Jointed


note: sawn heights with varying lengths  
having rough irregular ends

**TYPICAL PIECE**

Ends irregular; random lengths;  
sawn top and bottom; sides not square;  
bedface and split face and sawn back;  
overall appearance of stone will be linear  
when installed.

SEE CORNER EXAMPLE TO THE RIGHT

**CORNER INSTALLATION**



**PART NUMBERS**

**FULL VENEER:**

N/A

**THIN VENEER:**

QB flat: 1BTVGRA03061QB

BX flat: 1BTVGRA03061BX

QB corner: 1BTVGRA03561QB

BX corner: 1BTVGRA03561BX

**ARCHITECT/DESIGNER INFO**

**INSTALLATION SHOWN**

Mortar: Laticrete MVIS

Joint Type: Drystack

**BIM DETAILS - SCAN**

Revit, Hatch Patterns,  
Seamless Textures,  
3-Part Specs, DWGS,  
SDS, Warranty



www.buechelstone.com