



**TAILORED
FIELDLEDGE**
SPALTED OAK
TAILORED FIELDLEDGE

GEOLOGY

schist - quarried in USA

COLOR RANGE

grays, tans, charcoals, whites, buffs, blues, dark grays, beiges with occasional oranges, browns, and blacks

CONSISTENCY PER PALLET

somewhat consistent

PALLET AMOUNTS

FULL VENEER (sold/ton) 4,000lbs each

THIN VENEER (sold/each) QB or BX

QUANTITY BOX - QB

1 - 100 sq ft of flats

1 - 50 lin ft of corners

SMALL BOX - BX

24 - 8 sq ft flat boxes, 192 total ft

20 - 8 lin ft corner boxes, 160 total feet

ASTM TESTING DATA

HIGHLAND | BARNWOOD C97

water absorption—1.4% | 0.5%

specific gravity—2.54 | 2.75

density—158.4 pcf | 171.8 pcf

HIGHLAND | BARNWOOD C99

modulus of rupture perpendicular

dry—2,460 psi | 3,490 psi

wet—2,050 psi | 2,920 psi

modulus of rupture parallel

wet—1,308 psi | n/a

HIGHLAND | BARNWOOD C170

compressive strength parallel

dry—n/a | 12,260 psi

wet—14,180 psi | 9,770 psi

compressive strength perpendicular

wet—12,920 psi | 11,220 psi

dry—n/a | 15,300 psi compressive strength perpendicular

THIN VENEER

COMMON COVERAGE

Figured for Drystack Joint Only
8 & 100 square feet

DIMENSIONS

l: 3" to 24" (8")

h: 2"; h: 4"; h: 6"

w: 3/4" to 1-1/4" (1")

corner return N/A - Butt Jointed

note: sawn heights with varying lengths


having rough irregular ends

TYPICAL PIECE

Ends irregular; random lengths;
sawn top and bottom; sides not square;
bedface and split face and sawn back;
overall appearance of stone will be linear
when installed.

SEE CORNER EXAMPLE TO THE RIGHT

CORNER INSTALLATION



PART NUMBERS

FULL VENEER:

N/A

THIN VENEER:

QB flat: 1BTVGRA03062QB

BX flat: 1BTVGRA03062BX

QB corner: 1BTVGRA03562QB

BX corner: 1BTVGRA03562BX

ARCHITECT/DESIGNER INFO

INSTALLATION SHOWN

Mortar: Laticrete MVIS

Joint Type: Drystack

BIM DETAILS - SCAN

Revit, Hatch Patterns,

Seamless Textures,

3-Part Specs, DWGS,

SDS, Warranty



www.buechelstone.com