



## FIELDLEDGE

MILL CREEK  
SIENA

### GEOLOGY

dolomitic limestone - quarried in USA

### COLOR RANGE

light gray to buff with occasional blue veins

### CONSISTENCY PER PALLET

somewhat consistent

### PALLET AMOUNTS

FULL VENEER (sold/ton) 4,000lbs each

THIN VENEER (sold/each) QB or BX

QUANTITY BOX - QB

1 - 100 sq ft of flats

1 - 50 lin ft of corners

SMALL BOX - BX

24 - 8 sq ft flat boxes, 192 total ft

20 - 8 lin ft corner boxes, 160 total feet

### ASTM TESTING DATA

MILL CREEK C97

water absorption—0.51%

MILL CREEK C97

density—172.6 pcf

MILL CREEK C99

modulus of rupture perpendicular —2,280 psi

modulus of rupture parallel —860 psi

MILL CREEK C170

compressive strength—28,100 psi

MILL CREEK C880

flexural strength—1,580 psi

### FULL VENEER

#### COMMON COVERAGE

Standard Joint 40 ft <sup>2</sup> /ton	Drystack 30 ft <sup>2</sup> /ton	Overgrout 50 ft <sup>2</sup> /ton
---	-------------------------------------	--------------------------------------

#### DIMENSIONS

l: 4" to 16"

h: 2" to 8"

w: 3" to 5" (4")

note: product can vary in height from full height to half the total height in one piece

#### TYPICAL BLEND

10 percent installed bedface out; stone is snapped at least one face; sides may or may not be squared; overall appearance of stone will be linear when installed

#### TYPICAL PIECE

Ends random; natural cleft top and bottom; split or natural split face, split back; most sides more irregular and not square.

### THIN VENEER

#### COMMON COVERAGE

Standard Joint 8 & 100 square feet	Drystack 6 & 75 ft <sup>2</sup>	Overgrout 10 & 110 ft <sup>2</sup>
---------------------------------------	------------------------------------	---------------------------------------

#### DIMENSIONS

l: 4" to 16"

h: 2" to 8"

w: 3/4" to 1-1/4" (1")

corner return 3" to 6"  
note: product can vary in height from full height to half the total height in one piece

#### TYPICAL BLEND

10 percent installed bedface out; stone is snapped at least one face; sides may or may not be squared; overall appearance of stone will be linear when installed

#### TYPICAL PIECE

Ends random; natural cleft top and bottom; split or natural split face and sawn back; most sides more irregular and not square.

### PART NUMBERS

#### FULL VENEER:

1BSTLEN01016TN

#### THIN VENEER:

QB flat: 1BTVLEN01016QB

BX flat: 1BTVLEN01016BX

QB corner: 1BTVLEN01516QB

BX corner: 1BTVLEN01516BX

### ARCHITECT/DESIGNER INFO

#### INSTALLATION SHOWN

Mortar: Laticrete MVIS

Joint Type: Drystack

#### BIM DETAILS - SCAN

Revit, Hatch Patterns,  
Seamless Textures,  
3-Part Specs, DWGS,  
SDS, Warranty



www.buechelstone.com