



LEDGESTONE

FOND DU LAC

RUSTIC

LEDGESTONE



GEOLOGY

dolomitic limestone- quarried in USA

COLOR RANGE

brown, buff, tan, and gold

CONSISTENCY PER PALLET

Somewhat consistent

PALLET AMOUNTS

FULL VENEER (sold/ton) 4,000lbs each

THIN VENEER (sold/each) QB or BX

QUANTITY BOX - QB

1 - 100 sq ft of flats

1 - 50 lin ft of corners

SMALL BOX - BX

24 - 8 sq ft flat boxes, 192 total ft

20 - 8 lin ft corner boxes, 160 total feet

ASTM TESTING DATA

FOND DU LAC C97

water absorption—0.11%

FOND DU LAC C97

density—176.5 pcf

FOND DU LAC C99

modulus of rupture—2,480 psi

FOND DU LAC C170

compressive strength w/rift—31,810 psi

compressive strength across rift—26,550 psi

FOND DU LAC C880

flexural strength—1,740 psi

FULL VENEER

COMMON COVERAGE

Standard Joint 35 ft ² /ton	Drystack 25 ft ² /ton	Overgrout 45 ft ² /ton
---	-------------------------------------	--------------------------------------

DIMENSIONS

l: 4" to 16" (8")
h: 1/2" to 3"
w: 3" to 5" (4")

TYPICAL PIECE

Ends random; Natural cleft or sawn top and bottom; weatheredge and seamface face; sides natural split or seamface; back sawn or split ; stone is linear.

THIN VENEER

COMMON COVERAGE

Standard Joint 8 & 100 square feet	Drystack 6 & 75 ft ²	Overgrout 10 & 110 ft ²
---------------------------------------	------------------------------------	---------------------------------------

DIMENSIONS

l: 4" to 16" (8")
h: 1/2" to 3"
w: 3/4" to 1-1/4" (1")
corner return 3" to 6"

TYPICAL PIECE

Ends random; natural cleft or sawn top and bottom; weatheredge and seamface face; sides natural split or seamface; back sawn or split ; stone is linear.

PART NUMBERS

FULL VENEER:

1BSTBUE02033TN

THIN VENEER:

QB flat: 1BTVBUE02035QB

BX flat: 1BTVBUE02035BX

QB corner: 1BTVBUE02537QB

BX corner: 1BTVBUE02536BX

ARCHITECT/DESIGNER INFO

INSTALLATION SHOWN

Mortar: Laticrete MVIS

Joint Type: Drystack

BIM DETAILS - SCAN

Revit, Hatch Patterns,
Seamless Textures,
3-Part Specs, DWGS,
SDS, Warranty



www.buechelstone.com