



MOSAIC
BYRON
RIVER ROCK

GEOLOGY

dolomitic limestone - quarried in USA

COLOR RANGE

tumbled Fond du Lac Webwall;
white from tumbling

CONSISTENCY PER PALLET

somewhat consistent

PALLET AMOUNTS

FULL VENEER (sold/ton) 4,000lbs each

THIN VENEER (sold/each) QB or BX

QUANTITY BOX - QB

1 - 100 sq ft of flats

1 - 50 lin ft of corners

SMALL BOX - BX

24 - 8 sq ft flat boxes, 192 total ft

20 - 8 lin ft corner boxes, 160 total feet

ASTM TESTING DATA

FOND DU LAC C97

water absorption—0.11%

FOND DU LAC C97

density—176.5 pcf

FOND DU LAC C99

modulus of rupture—2,480 psi

FOND DU LAC C170

compressive strength w/rift—31,810 psi

compressive strength across rift—26,550 psi

FOND DU LAC C880

flexural strength—1,740 psi

FULL VENEER

COMMON COVERAGE

Standard Joint
40 ft²/ton

Drystack
30 ft²/ton

Overgrout
50 ft²/ton

DIMENSIONS

l: 3" to 16" dia.

h: 3" to 16" dia.

w: 3" to 5" (4")

note: lengths and heights are irregular shapes 3 inches to 16 inches in diameter

TYPICAL PIECE

Ends irregular; natural split and rounded sides; bedface face and back; stone is random shapes. Stone rounded from tumbling.

THIN VENEER

COMMON COVERAGE

Standard Joint
8 & 100 square feet

Drystack
6 & 75 ft²

Overgrout
10 & 110 ft²

DIMENSIONS

l: 3" to 16" dia.

h: 3" to 16" dia.

w: 3/4" to 1-1/4" (1")

corner return 3" to 6"

note: lengths and heights are irregular shapes 3 inches to 12 inches in diameter

TYPICAL PIECE

Ends irregular; natural split and rounded sides; bedface face and sawn back; stone is random shapes. Stone rounded from tumbling.

PART NUMBERS

FULL VENEER:

1BSTBUE02501TN

THIN VENEER:

QB flat: 1BTVBUE02010QB

BX flat: 1BTVBUE02010BX

QB corner: 1BTVBUE02510QB

BX corner: 1BTVBUE02510BX

ARCHITECT/DESIGNER INFO

INSTALLATION SHOWN

Mortar: Laticrete - Std. Gray

Joint Type: Raked

BIM DETAILS - SCAN

Revit, Hatch Patterns,
Seamless Textures,
3-Part Specs, DWGS,
SDS, Warranty



www.buechelstone.com